


Measurement of curved track for curtain boxes


for motors HDL, systems KNX and Buspro

1. curved curtain box



Need to Measure									
Chord length L1 (mm)	Chord length L2 (mm)	Chord length L3 (mm)	Chord length L4 (mm)	Arc length L5 (mm)	Chord Height H1 (mm)	Chord Height H2 (mm)	Chord Height H3 (mm)	Curtain box width W (mm)	Total track length L (mm)
Important Information									
Model Number for the Motor	Curtain Opening			Motor Installation			Remark		
	Single open○	two sides open○		Left○	Right○	Two Side○			
Ps: For curved curtain box, install a single electric rail with a minimum width of 20cm and a double rail with a width wider than 25-30cm.									

2 Right angle curtain box



Need to Measure


L1 (mm)	L2 (mm)								

Important Information

Model Number for the Motor	Curtain Opening		Motor Installation			Remark
	Single open○	two sides open○	L1 Part ○	L2Part ○	Two side ○	

Ps: For curved curtain boxes, install a single electric rail with a minimum width of 20 cm and a double rail with a width greater than 30 cm.

3 Right angle curved curtain box



Need to Measure


L1	L2	L3	L4	L5	L6	L7	W1		

Important Information

Model Number for the Motor	Curtain Opening		Motor Installation			Remark
	Single open	two sides open	L3 Part	L6 Part	Two side	
	○	○	○	○	○	


Ps: For curved curtain box, install a single electric rail with a minimum width of 20 cm and a double rail with a width greater than 30 cm.

4 Beveled curtain box




Need to Measure									
L1	L2	L3	L4	L5	W	Angle	W		
Important Information									
Model Number for the Motor	Curtain Opening			Motor Installation			Remark		
	Single open ○	two sides open ○	open	L1 Part ○	L5 Part ○	Two side ○			
Ps:For curved curtain boxes, install a single electric rail with a minimum width of 20 cm and a double rail with a width greater than 30 cm.									

5.Beveled curtain box




Need to Measure									
L1	L2	L3	L4	L5	L6	L7	W1	H	
Important Information									
Model Number for the Motor	Curtain Opening			Motor Installation			Remark		
	Single open ○	two sides open ○		L1 ○	L7 ○	两端○			
Ps:For curved curtain boxes, install a single electric rail with a minimum width of 20 cm and a double rail with a width greater than 25 cm.									

6.U-shaped curtain box



Need to Measure												
L1	L2	L3	L4	L5	L6	L7	L8	L9	H1	H2	W1	W2
Important Information												
Model Number for the Motor	Curtain Opening		Motor Installation			Remark						
	Single open ○	two sides open○	L3 Part ○	L7 Part ○	Two side○							
Ps: For curved curtain boxes, install a single electric rail with a minimum width of 20 cm and a double rail with a width greater than 25 cm.												

7.Octagonal curved curtain box



Need to Measure									
L1	L2	L3	L4	L5	L6	L7	W	Angle 1	Angle 2
Important Information									
Model Number for the Motor	Curtain Opening			Motor Installation			Remark		
	Single open ○	two sides open ○	L2 Part ○	L7 Part ○	Two Side ○				
Ps:For curved curtain boxes, install a single electric rail with a minimum width of 20 cm and a double rail with a width greater than 30 cm.									